



CloudCustomerSpaceAPI

POSTMAN Collection

User Guide

November 2022

POSTMAN COLLECTION FOR CloudCustomerSpace API

1. Purpose of this document

This document is intended for developers who need to use the Flexible Engine management API.

Note: this API is not the Flexible Engine API (cloud resource management) but the of your Flexible Engine offering - it allows you to: view invoices, create domains and users.

This document provides and describes the POSTMAN environment for a quick introduction to this API.

2. Introduction :

For the purpose of exploring the functions of the API, Orange provides a POSTMAN :

- The collection itself, which allows to call the verbs of the API
- A set of environment variables, to be adapted to the context (secret keys, passwords etc)


These JSON files for use in POSTMAN are available in the [appendix of this document](#).

We remind you the steps to open your access to this API:

Cloud Client Space Requirements :

- You choose the **contract ID(s)** (e.g. OCB0001234) for which you want to access the billing files
- You choose the Cloud Client Area **login** (e.g. firstname.lastname) that you wish to use to access it - this login must be associated with a valid email address.
- You ensure access in the Cloud Customer Space to this **contract ID** via this **login** - if necessary you add the necessary rights, in the Cloud Customer Space

API registration :

- You declare an account on the [Orange Developer portal](#)
- You ask the OBS API support team (e.g. [via this form](#), our teams will guide you through this registration process) to give you access to the API by giving them two pieces of information: **(1)** your "Orange Developer" login and **(2)** your Cloud Customer Area login. The team will give you access to the API and will also provide you with a key called **API KEY**.
- In the Orange Developer portal you declare an "Application" in the "**My Apps**" menu, you will get identifiers: **Application ID, Client ID and Secret Client**
- You associate the Cloud Store Customer Space API with your application using the 

API help is available on the Orange Developer portal: <https://developer.orange.com/apis/cloudstorecustomerspace>

Please note: Orange is not responsible for your use of POSTMAN on your environments, and does not provide support for its use.

Note: If your workstation is connected to a corporate VPN, it is possible that calls to the APIs do not work from your workstation - disconnect the VPN to check if your error is coming from there.

3. Implementation: import


CloudCustomerSpaceAPI POSTMAN Collection

User Guide
November 2022

1. Importing the collection into POSTMAN

Retrieve the `API_CLOUDSTORE_CUSTOMER_SPACE.postman_collection.json` file in the [appendix of this document](#).


In POSTMAN, select the "Collections" section on the left and then the "Import" button. Import the `API_CLOUDSTORE_CUSTOMER_SPACE.postman_collection.json` file. The **Cloud Customer Space API** collection is imported:




2. Importing the environment into POSTMAN

Retrieve the `OrangeCloud_API.postman_environment.json` file in the [appendix of this document](#).

Select the "Environments" section on the left and then the "Import" button. Import the `OrangeCloud_API.postman_environment.json` file. The **OrangeCloud_API** environment is imported:



3. Implementation: environment

To update the environment go to the environment management  and select the **OrangeCloud_API** environment. You are ready to update the environment variables:

VARIABLE	TYPE	INITIAL VALUE	CURRENT VALUE	Persist All	Reset All
<input checked="" type="checkbox"/> X-API-Key	default	Your API_KEY provided to you by ECC team	eKAMpxe6ERN9la++g6M07T1R355J2Vunfzr9gXunCL+p5a1...		
<input checked="" type="checkbox"/> Contract-ID	default	ID of the contract (OCB000xxxx)	OCB0001656		
<input checked="" type="checkbox"/> Token	default	access token returned by "generate access t...	ExAnPLawvCC0aGprWW7CRRDQMzQP		
<input checked="" type="checkbox"/> Host	default	https://api.orange.com/cloud/b2b/v1	https://api.orange.com/cloud/b2b/v1		
<input checked="" type="checkbox"/> oauth_host	default	https://api.orange.com/oauth/v3	https://api.orange.com/oauth/v3		

- **X-API-Key** is the key provided by OBS, once you have communicated the login of the Cloud Client Space you are using. This key is very long, for example :

```
Example+IOERVGla++g6MG7TR355J2Vunfzr9gXunCL+p5s1jYQyIwXhcApqZi6Sml528SrnWwYbB+2g0Lk1FICP9rZVgCTMAozF/TP8ZdvWHuZfHzu+NzoHalFKiKt6nHoFhc96WmdlVnPFk8zjURvDEUW9cVExScYnirFtPpsBadAg+VLkpuP7CbC+QlyyjkIosGajiaTP2HEZAs+9ZeLkIkOZugB5T6dmZBb5W2yrBYUzps9X8p5+BJVzMQvIKy9-db2Cveju+TdbQ6EzB9jIlg80uLSaAWyxsh5e6dhpK9z58vqRiSTRBY3Oe+Rjt-33ckaC64TOnZ5z8Pfnaznupp8D1xYag9pHEat/YY9cIe6RA74nkoKK4bs6+IOHej2BRcQNHaw++EX0eLW9YYqUsDH6PQ8f7+cuR13ClpAXm+ScuyEtlresCOHmX+ZsgHDxYVZ3Z3RRC5bD6w/h8C6vyxyxrUFAINE8dnBNtE13F5sPWCMyerOpCVO46rTITU/Fh6XPM4OZuTcdWGeD0m777vJvwoVPrk7gFCQBv+qNz3d8T23prgXIZNueQCHERkqrdhckakfcm38YFWiO5xeEnLmXXCoJm5lh4xuy28H/v19VlouQh+/KTOF8fmZaia8W8lQrgW3z3H2YObCkPzSpYAOzsywDLT8/gMmslW67DZuFg7uUW8mLrrrTbQhCjIjwstvONIPzdgCMWvXF2ru7ggL7RM2KNuzg1DnwzgjELGCBluKWty6TTY9jOIFv6zVVvULmU2qrjIVD/Uc9GFRePdHwdwR3HCvgRT/xwEQI54d5ICDFC6TXHgGjwL9ez5bslZWIJKv6xKMy7yW05LxDr/IS236uIN+6E/RJcXx8BQSpqVceMXD/dG24h/SROVLexBVsK35HVAkn0f4xYjhY1AOc8nGJBQRZEPIVRCcAagdKKh5rM2U/HWVVPVeUhs5056wVDFxlngH0Y6mQxjBBBecZp+HLD1
```

- **Contract-ID** in the format OCB000NNNN, e.g. `OCB0001234` is used by calls to the verbs 'document download' and 'documents list' and 'contract detail'
- **Token** is the access token returned by the "generate access token" verb call, e.g. :
`ExamPLepF5EFSY4w1VfOWDXAUnMIDA`




CloudCustomerSpaceAPI POSTMAN Collection

User Guide
November 2022

To obtain this token follow this procedure:

1. On the [Orange Developer portal](#): go to "Login" then "My apps" then select your application: note the **Client ID** and **Client secret** fields



2. In POSTMAN, for the "generate access token" call, enter your **Client ID** and **Client secret** codes in the "**Username**" and "**Password**" fields:



3. Execute the "generate acces token" call: the token is in the response, it is valid for 1 hour:



➤ The value of "access_token" is automatically stored in the "Token" variable:



- **Host and oauth_host**: these variables do not need to be modified

You are now ready to use the verbs available in the POSTMAN collection.

The detailed use of these verbs can be found here: <https://developer.orange.com/apis/cloudstorecustomerspace>



CloudCustomerSpaceAPI

POSTMAN Collection

User Guide

November 2022

Appendix #1: POSTMAN files

API_CLOUDSTORE_CUSTOMER_SPACE.postman_collection.json

```

{
  "info": {
    "_postman_id": "e32a5f1f-0418-4245-bafa-1da474bb566e",
    "name": "API Cloud Customer Space",
    "description": "this collection shows requests available with API_CloudStore",
    "schema": "https://schema.getpostman.com/json/collection/v2.1.0/collection.json",
    "_exporter_id": "1504704"
  },
  "item": [
    {
      "name": "generate access token",
      "event": [
        {
          "listen": "test",
          "script": {
            "exec": [
              "pm.environment.set(\"Token\", pm.response.json(). access_token);"
            ],
            "type": "text/javascript"
          }
        }
      ],
      "protocolProfileBehavior": {
        "disabledSystemHeaders": {}
      },
      "request": {
        "auth": {
          "type": "basic",
          "basic": [
            {
              "key": "password",
              "value": "EXAMpleOrsuDaT3T",
              "type": "string"
            },
            {
              "key": "username",
              "value": "ExAmpleBiu4eY2xJ8qRfCquvJCYzAX9HPo",
              "type": "string"
            }
          ]
        },
        "method": "POST",
        "header": [
          {
            "key": "Content_Type",
            "type": "text",
            "value": "application/x-www-form-urlencoded"
          },
          {
            "key": "",
            "type": "text",
            "value": "",
            "disabled": true
          }
        ],
        "body": {
          "mode": "urlencoded",
          "urlencoded": [
            {
              "key": "grant_type",
              "value": "client_credentials",
              "type": "text"
            }
          ]
        },
        "url": {
          "raw": "{{oauth_host}}/token",
          "host": [
            "{{oauth_host}}"
          ],
          "path": [
            "token"
          ]
        },
        "description": "token OrangeDev"
      },
      "response": []
    },
    {
      "name": "contracts list",
      "request": {
        "auth": {
          "type": "bearer",
          "bearer": [
            {
              "key": "token",
              "value": "{{Token}}",
              "type": "string"
            }
          ]
        },
        "method": "GET",
        "header": [
          {
            "key": "X-API-Key",
            "value": "{{X-API-Key}}",
            "type": "text"
          },
          {
            "key": "Accept",
            "value": "application/json",
            "type": "text"
          }
        ],
        "url": {
          "raw": "{{Host}}/contracts",
          "host": [
            "{{Host}}"
          ],
          "path": [
            "contracts"
          ]
        }
      }
    }
  ]
}

```



CloudCustomerSpaceAPI

POSTMAN Collection

User Guide

November 2022

```
    },
    "description": "Get List Contracts"
  },
  "response": []
},
{
  "name": "documents list",
  "request": {
    "auth": {
      "type": "bearer",
      "bearer": [
        {
          "key": "token",
          "value": "{{Token}}",
          "type": "string"
        }
      ]
    },
    "method": "GET",
    "header": [
      {
        "key": "X-API-Key",
        "value": "{{X-API-Key}}",
        "type": "text"
      },
      {
        "key": "X-ECCS-Contract-Id",
        "value": "{{Contract-Id}}",
        "type": "text"
      },
      {
        "key": "Accept",
        "value": "application/json",
        "type": "text"
      }
    ],
    "url": {
      "raw": "{{Host}}/documents",
      "host": [
        "{{Host}}"
      ],
      "path": [
        "documents"
      ]
    },
    "description": "List of documents".
  },
  "response": []
},
{
  "name": "document download",
  "protocolProfileBehavior": {
    "disabledSystemHeaders": {}
  },
  "request": {
    "auth": {
      "type": "bearer",
      "bearer": [
        {
          "key": "token",
          "value": "{{Token}}",
          "type": "string"
        }
      ]
    },
    "method": "GET",
    "header": [
      {
        "key": "X-API-Key",
        "value": "{{X-API-Key}}",
        "type": "text"
      },
      {
        "key": "Accept",
        "value": "application/json",
        "type": "text"
      },
      {
        "key": "X-ECCS-Contract-Id",
        "value": "{{Contract-Id}}",
        "type": "text"
      }
    ],
    "url": {
      "raw": "{{Host}}/documents/****insert here your document id****/file",
      "host": [
        "{{Host}}"
      ],
      "path": [
        "documents",
        "****insert here your document id****",
        "file"
      ]
    },
    "description": "download a document"
  },
  "response": []
},
{
  "name": "contract detail",
  "request": {
    "auth": {
      "type": "bearer",
      "bearer": [
        {
          "key": "token",
          "value": "{{Token}}",
          "type": "string"
        }
      ]
    },
    "method": "GET",
    "header": [
      {
        "key": "X-API-Key",
        "value": "{{X-API-Key}}",
        "type": "text"
      }
    ]
  }
}
```

CloudCustomerSpaceAPI

POSTMAN Collection

User Guide

November 2022

```

            },
            {
                "key": "X-ECCS-Contract-Id",
                "value": "{{Contract-Id}}",
                "type": "text".
            },
            {
                "key": "Accept",
                "value": "application/json",
                "type": "text".
            }
        ],
        "url": {
            "raw": "{{Host}}/contract",
            "host": [
                "{{Host}}"
            ],
            "path": [
                "contract"
            ]
        },
        "description": "Detail Contract".
    },
    "response": []
},
{
    "name": "create user",
    "request": {
        "auth": {
            "type": "bearer",
            "bearer": [
                {
                    "key": "token",
                    "value": "{{Token}}",
                    "type": "string"
                }
            ]
        },
        "method": "POST",
        "header": [
            {
                "key": "Accept",
                "type": "text",
                "value": "application/json"
            },
            {
                "key": "X-API-Key",
                "type": "text",
                "value": "{{X-API-Key}}"
            }
        ],
        "body": {
            "mode": "raw",
            "raw": "civility": \lastName": \firstName": \email": \login": \fixPhone": \mobilePhone": \mobilePhone": \mobilePhone": \mobilePhone": \mobilePhone": \mobilePhone": \mobilePhone": \mobilePhone": \mobilePhone",
            "options": {
                "raw": {
                    "language": "json"
                }
            }
        },
        "url": {
            "raw": "{{Host}}/contracts/{Contract-Id}/user",
            "host": [
                "{{Host}}"
            ],
            "path": [
                "contracts",
                "{{Contract-Id}}",
                "user"
            ]
        },
        "response": []
    },
    "name": "create contract",
    "request": {
        "auth": {
            "type": "bearer",
            "bearer": [
                {
                    "key": "token",
                    "value": "{{Token}}",
                    "type": "string"
                }
            ]
        },
        "method": "POST",
        "header": [
            {
                "key": "X-API-Key",
                "type": "text",
                "value": "{{X-API-Key}}"
            },
            {
                "key": "Accept",
                "type": "text",
                "value": "application/json"
            }
        ],
        "body": {
            "mode": "raw",
            "raw": "{\n  \"billingAccountId\": \"HONEY\", \"offerCode\": \"HONEY\", \n  \"contractName\": \"supportLevel\": \n  \"referentCivility\": \"referentName\": \"\", \n  \"referentFirstName\": \"referentMail\": \"\", \n  \"referentFixPhone\": \"\", \n  \"referentMobilePhone\": \"referentMobilePhone\",",
            "options": {
                "raw": {
                    "language": "json"
                }
            }
        },
        "url": {
            "raw": "{{Host}}/contracts",
            "host": [
                "{{Host}}"
            ],
            "path": [

```



CloudCustomerSpaceAPI

POSTMAN Collection

User Guide

November 2022

```
        "contracts"
      ],
      "description": "Get List Contracts"
    },
    "response": []
  ]
}

OrangeCloud_API.postman_environment.json
{
  "id": "e85c2816-685c-479c-8248-74d1b7f580e1",
  "name": "OrangeCloud_API",
  "values": [
    {
      "key": "X-API-Key",
      "value": "Your API_KEY provided to you by ECC team",
      "enabled": true
    },
    {
      "key": "Contract-Id",
      "value": "ID of the contract (OCB000xxxx)",
      "enabled": true
    },
    {
      "key": "Token",
      "value": "access token returned by \"generate access token\" request",
      "enabled": true
    },
    {
      "key": "Host",
      "value": "https://api.orange.com/cloud/b2b/v1",
      "enabled": true
    },
    {
      "key": "oauth_host",
      "value": "https://api.orange.com/oauth/v3",
      "enabled": true
    }
  ],
  "postman_variable_scope": "environment",
  "_postman_exported_at": "2022-01-10T13:35:25.073Z",
  "postman_exported_using": "Postman/9.8.2"
}
```